

PRODUCT CARD

ELECTRIC HEATING

ELEMENT ERH



INTENDED USE

Electric heating element ERH with microprocessor thermostat designed to be mounted in the bathroom and for decorative radiators. The towel warmer equipped with an electric heating element can serves as an electric dryer or hybrid combining to the electric dryer and standard radiator connected to the central heating.

TYPES OF CONNECTION


- straight cable

COLOURS OF THERMOSTATS

- white, black, silver

TECHNICAL PARAMETERS


- nominal voltage: option 1:230V, 50Hz;
- insulation class: option 1: Class I
- ingress protection class: IPX4 (ZONE 2 i 3)
- power: 200W, 300W, 400W, 500W, 600W, 800W, 1000W,




Source: NORM PN-EN 60529:2003

DIMENSION AND WEIGHT			
Power	Weight	Lenght "l"	Lenght "L"
200W	0,39kg	270mm	327mm
300W	0,40kg	295mm	362mm
400W	0,41kg	330mm	397mm
500W	0,42kg	345mm	412mm
600W	0,42kg	360mm	427mm
800W	0,45kg	470mm	537mm
1000W	0,48kg	560mm	627mm

- 1. Heating element
- 2. Moulding
- 3. Power cable





FUNCTIONALITY

- timer TURBO – after 2h electric heating element will return to the previous settings
- timer START-STOP– after 2h electric heating element will automatically turn off
- 4-stage temperature regulation in the range of 30° – 60°C
- controller rotation in the range of 0° – 330°
- ANTIFREEZE function (protection against freezing the liquid inside of the towel warmer)
- two-level overheating protection
- additional protection against working when "dry"
- dryer function
- intelligent work control – microprocessor control
- visualization in colorful LED technology